


8 BW4-CTM-P-F (CE)



1 Hole diameter of 70 mm for water/milk inlet and water drain. Also possible for power cord.

Drain

- Distance of machine to drain < 1 m.
- The drain line (hose) must not sag.
- No back pressure in the water line.
- The end of the line must not be submerged in water.

Refrigerator milk suction hose

- Max. length of refrigerator milk suction hose = 1200 mm. Position the refrigerator close enough to the coffee machine.
- Diameter of the milk suction hose: 8.5/4 mm

| Machine parameters | | Water connection specifications | |
|------------------------------|--|-----------------------------------|------------|
| Connection/ Power | 1-phase: 220-240 VAC / 50-60 Hz 5800-7100 W / 32 A | Water supply | 3/8" |
| | 3-phase: 380-415 VAC/50-60 Hz 5800-7100 W/3 x 16 A | Dynamic Water pressure | 2-4 bar |
| Dimensions (W/D/H) | 580 x 600 x 646 mm | Water boiler pressure | 11.7 bar |
| Outlet height | 85-172 mm (manual) 96-192 mm (autom.) | Steam boiler pressure | 2.6 bar |
| Weight | 85 kg | Chlorine | None |
| | | TDS | 70-200 ppm |
| | | Total hardness | 5-8 °dH |
| | | pH | 6.8-7.4 |
| | | Alkalinity | <100 ppm |
| | | Iron | <0.25 ppm |